MES POWERPACK DHP 37

THE NETHERLANDS

MARINE EQUIPMENT SERVICES

Copyright 2022 @ Marine Equipment Services

WWW.MESTRADING.COM

MES Powerpack DHP 37

Technical specifications

Ambient temperature[1]: -10°C / +40°C
Dimensions L x W x H: 1750cm x 900cm x 1385cm
Diesel engine: Hatz 3M41
Power rating: 38.9 kW at 2500 rpm
Maximum engine speed: 2500 rpm
Fuel tank: 90 litre
Hydraulic system
Hydraulic oil tank maximum level: 200 litre
Minimum level: 125 litre
Main pump maximum flow: 110 l/min
Maximum pressure: 250 bar
Hydraulic oil cooler fan 12 VDC
Electric system
Control system: 12 VDC



MARINE EQUIPMENT SERVICES B.V.

Phone +31 (0)183 50 20 52, Cellphone: +31 (0) 653 266 524, Fax +31 (0)183 50 16 38
E-mail jvm@mestrading.com - Internet www.mestrading.com

New building
Workboats TH 40
Tomboy 22 & 26

Swivelhead Fairleads
from 18mm up to
76 mm

Electrical and
hydraulical driven
Capstans from
1-20 ton

Hydraulic winches
from 5 up to 20 ton

4Persons TLQ
accommodation
units

5 x 60 ton hydraulic
single drum winches

Universal Roller
Fairleads from
FA4-12 up to
FA4-52

Rubber fenders size
1200 x 2000mm

Diesel hydraulic
Powerpacks

Rubber fenders
with chain and
tyre netting

Universal Roller
Fairleads FA2 series

Complete range of
Deck and Bulwark
mounted Panama
Chocks

Steel anchor buoys
foam filled from
500kgup to 10000kg
buoyancy

EU Fairlead Rollers
from 150mm up to
450mm

Complete range of
MES Dolphin anchors
100kg up to 15,000kg

Complete range of
Smit Brackets
38mm (50t SWL)
114mm (350t SWL)

MARINE EQUIPMENT SERVICES B.V.

Hulsenboschstraat 23
4251 LR Werkendam
The Netherlands
VAT: NL812705233B01

Phone +31 183 502 052
Fax +31 183 501 638
Mobile +31 653 266 524
Chamber of Commerce:11057411

www.mestrading.com

Copyright 2022 @ Marine Equipment Services